

CIR-CUT II

Portable Circle Cutting Machine

Features and Benefits


- Oxy-fuel circle cutting machine
 Bevel or straight cut circles or holes
- Rotating gas manifold
 Tangle-free hoses for ease of use
- Electro Magnet
 Holds the machine to surface, enables vertical surface cutting.
- Excellent cutting capacity

 Circle diameters ranging from Ø 40 200 mm,

 cutting thickness up to 30 mm and bevelling 0°
 45°
- Lightweight and compact
 11.3kg compact body with a large lifting handle makes the machine extremely portable
- Centering pin
 Accurate and easy positioning of the machine

The **Cir-Cut II** is a portable automatic oxy-fuel circle cutting machine, designed to cuts or bevel circles in on flat or vertical surfaces, and any angles in between.

High quality results done quickly and easily makes this Koike machine a must in your inventory for circle cutting.



Versatile circle cutting machine

on flat and vertical surfaces

The **Cir-Cut II** is specially designed to maximize productivity of circle and hole cutting on flat and vertical surfaces.

The 11.3 kg compact body is made of robust aluminium die-cast body and easy to carry with large lifting handle. The 300 kg/f electro magnet allows the machine to be positioned in vertical position. Tangle-free rotational gas manifold gives no loads to the torch, providing an excellent smooth feed through out the cut.

Radius indicator on the cross feed bar and bevel angle indicator on the torch ensures high quality cuts to be achieved with minimal setup time.



Bevel cutting



Vertical surface

Accessories

Optional accessories

Accessory	Stock #	Description
Transformer AC230V - 110V	90100	For 110V models



Type and Specification

Specification

	CIR-CUT II
Cutting thickness	5 – 30 mm
Cutting diameter	Ø 40 - 200 mm
Torch rotation speed	0.6 - 6.0 rpm
Bevel angle	0 - 45°
Machine securing	Electromagnet (300kg)
Input power	AC 110V
Dimension	L410 x W450 x H395 mm
Weight	11.3 kg

Types

Model	Stock #
CIR-CUT II 110V	90073

Scope of delivery

Scope of delivery		
Machine body with torch set		
Centering pin		
Cutting nozzles (102HC or 106HC, size #0, 1, 2)		
Power cable		
Standard tool set		
Operation manual		

EMEA Sales and Service Offices

FRANCE

KOIKE France S.A.R.L. ZAC de la Vallee de L'aunelle RN Cellules C1 à C4 59144 Wargnies-Le-Grand Office: +33 327304343

GERMANY

KOIKE EUROPE B.V. Germany Branch Office Im Löchel 2 35423 Lich-Eberstadt

Office: +49 6004916930

ITALY

KOIKE ITALIA Srl Via Papa Giovanni XXIII, n 45 20053 – Rodano (Milano) Office: +39 0295328717

UAE

KOIKE MIDDLE EAST FZE SAIF Zone Sharjah - UAE P.O. Box 122978

Office: +971 561177615

THE NETHERLANDS

KOIKE EUROPE B.V. Grote Tocht 19 1507 CG Zaandam

T +31 (0)75 612 72 27 F +31 (0)75 612 34 61

info@koike-europe.com www.koike-europe.com